

Ohio Tutorials are designed specifically for the Ohio Learning Standards to prepare students for the Ohio State Tests and end-of-course exams.

Math Tutorials offer targeted instruction, practice and review designed to develop computational fluency, deepen conceptual understanding, and apply mathematical practices. They automatically identify and address learning gaps down to elementary-level content, using adaptive remediation to bring students to grade-level no matter where they start. Students engage with the content in an interactive, feedback-rich environment as they progress through standards-aligned modules. By constantly honing the ability to apply their knowledge in abstract and real world scenarios, students build the depth of knowledge and higher order skills required to demonstrate their mastery when put to the test.

In each module, the Learn It and Try It make complex ideas accessible to students through focused content, modeled logic and process, multi-modal representations, and personalized feedback as students reason through increasingly challenging problems. The Review It offers a high impact summary of key concepts and relates those concepts to students' lives. The Test It assesses students' mastery of the module's concepts, providing granular performance data to students and teachers after each attempt. To help students focus on the content most relevant to them, unit-level pretests and posttests can quickly identify where students are strong and where they're still learning.

1. RATE, RATIO, AND PROPORTION

• UNIT RATES

- **OH.Math.7.RP.1** Compute unit rates associated with ratios of fractions, including ratios of lengths, areas, and other quantities measured in like or different units.
- **OH.Math.7.RP.2a** Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.

• IDENTIFYING PROPORTIONAL RELATIONSHIPS

- **OH.Math.7.RP.2a** Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.
- **OH.Math.7.RP.3** Use proportional relationships to solve multistep ratio and percent problems.

• ANALYZING PROPORTIONAL RELATIONSHIPS

- **OH.Math.7.RP.2b** Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships.
- **OH.Math.7.RP.2d** Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate.
- **OH.Math.7.RP.1** Compute unit rates associated with ratios of fractions, including ratios of lengths, areas, and other quantities measured in like or different units.

• REPRESENTING PROPORTIONAL RELATIONSHIPS

- **OH.Math.7.RP.3** Use proportional relationships to solve multistep ratio and percent problems.
- **OH.Math.7.RP.2a** Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.
- **OH.Math.7.RP.2d** Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate.
- **OH.Math.7.RP.2c** Represent proportional relationships by equations.

• USING PROPORTIONS TO SOLVE PROBLEMS

- **OH.Math.7.RP.3** Use proportional relationships to solve multistep ratio and percent problems.
- **OH.Math.7.RP.2a** Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.

2. ADDITION AND SUBTRACTION OF RATIONAL NUMBERS

• ADDING RATIONAL NUMBERS

- **OH.Math.7.NS.1a** Describe situations in which opposite quantities combine to make 0.
- **OH.Math.7.NS.1b** Understand $p + q$ as the number located a distance $|q|$ from p , in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.
- **OH.Math.7.NS.3** Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.
- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.

• SUBTRACTING RATIONAL NUMBERS

- **OH.Math.7.NS.1a** Describe situations in which opposite quantities combine to make 0.
- **OH.Math.7.NS.1b** Understand $p + q$ as the number located a distance $|q|$ from p , in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.
- **OH.Math.7.NS.1c** Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.
- **OH.Math.7.NS.3** Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.
- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.

• USING PROPERTIES TO ADD AND SUBTRACT RATIONAL NUMBERS

- **OH.Math.7.NS.3** Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.
- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.
- **OH.Math.7.NS.1d** Apply properties of operations as strategies to add and subtract rational numbers.

3. MULTIPLICATION AND DIVISION OF RATIONAL NUMBERS

• MULTIPLYING RATIONAL NUMBERS

- **OH.Math.7.NS.3** Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.
- **OH.Math.7.NS.2a** Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.
- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.

• DIVIDING RATIONAL NUMBERS

- **OH.Math.7.NS.2b** Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers, then $-(p/q) = (-p)/q = p/(-q)$. Interpret quotients of rational numbers by describing real-world contexts.
- **OH.Math.7.NS.3** Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.
- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.
- **OH.Math.7.NS.2c** Apply properties of operations as strategies to multiply and divide rational numbers.

• USING PROPERTIES TO MULTIPLY AND DIVIDE RATIONAL NUMBERS

- **OH.Math.7.NS.3** Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.
- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.
- **OH.Math.7.NS.2c** Apply properties of operations as strategies to multiply and divide rational numbers.
- **OH.Math.7.NS.2a** Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.

4. WORKING WITH RATIONAL NUMBERS

• EXPRESSING RATIONAL NUMBERS IN DECIMAL FORM

- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.
- **OH.Math.7.NS.2d** Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.
- **OH.Math.7.NS.3** Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.

• USING OPERATIONS ON RATIONAL NUMBERS TO SOLVE PROBLEMS

- **OH.Math.7.NS.3** Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.
- **OH.Math.7.NS.1b** Understand $p + q$ as the number located a distance $|q|$ from p , in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.
- **OH.Math.7.NS.1c** Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.
- **OH.Math.7.NS.2a** Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.
- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.

5. ALGEBRAIC EXPRESSIONS, EQUATIONS, AND INEQUALITIES

• SIMPLIFYING AND REWRITING ALGEBRAIC EXPRESSIONS

- **OH.Math.7.EE.1** Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.

- **OH.Math.7.EE.2** *In a problem context, understand that rewriting an expression in an equivalent form can reveal and explain properties of the quantities represented by the expression and can reveal how those quantities are related.*

• SOLVING MULTI-STEP PROBLEMS WITH RATIONAL NUMBERS

- **OH.Math.7.NS.3** *Solve real-world and mathematical problems involving the four operations with rational numbers. Computations with rational numbers extend the rules for manipulating fractions to complex fractions.*
- **OH.Math.7.EE.3** *Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.*
- **OH.Math.7.NS.1d** *Apply properties of operations as strategies to add and subtract rational numbers.*
- **OH.Math.7.NS.2c** *Apply properties of operations as strategies to multiply and divide rational numbers.*
- **OH.Math.7.EE.2** *In a problem context, understand that rewriting an expression in an equivalent form can reveal and explain properties of the quantities represented by the expression and can reveal how those quantities are related.*

• SOLVING TWO-STEP EQUATIONS

- **OH.Math.7.EE.4a** *Solve word problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p , q , and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach.*

• SOLVING LINEAR INEQUALITIES

- **OH.Math.7.EE.4b** *Solve word problems leading to inequalities of the form $px + q > r$ or $px + q < r$, where p , q , and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem.*

6. DRAWING, CONSTRUCTING, AND EXPLORING GEOMETRIC FIGURES

• SCALE DRAWINGS

- **OH.Math.7.G.1a** *Compute actual lengths and areas from a scale drawing and reproduce a scale drawing at a different scale.*
- **OH.Math.7.G.1b** *Represent proportional relationships within and between similar figures.*

• GEOMETRIC DRAWINGS

- **OH.Math.7.G.2b** *Focus on constructing quadrilaterals with given conditions noticing types and properties of resulting quadrilaterals and whether it is possible to construct different quadrilaterals using the same conditions.*
- **OH.Math.7.G.3** *Describe the two-dimensional figures that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right rectangular pyramids.*
- **OH.Math.7.G.2a** *Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.*

• CROSS-SECTIONS OF GEOMETRIC SOLIDS

- **OH.Math.7.G.3** *Describe the two-dimensional figures that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right rectangular pyramids.*

7. GEOMETRY IN TWO AND THREE DIMENSIONS

• CIRCLES

- **OH.Math.7.G.4b** *Know and use the formulas for the area and circumference of a circle and use them to solve real-world and mathematical problems.*
- **OH.Math.7.G.4a** *Explore and understand the relationships among the circumference, diameter, area, and radius of a circle.*

• ANGLE RELATIONSHIPS

- **OH.Math.7.G.5** *Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to*

write and solve simple equations for an unknown angle in a figure.

- **AREA, VOLUME, AND SURFACE AREA**

- **OH.Math.7.G.6** Solve real-world and mathematical problems involving area, volume, and surface area of two- and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms.

8. STATISTICS AND SAMPLING

- **POPULATIONS AND SAMPLES**

- **OH.Math.7.SP.1a** Differentiate between a sample and a population.
- **OH.Math.7.SP.1b** Understand that conclusions and generalizations about a population are valid only if the sample is representative of that population. Develop an informal understanding of bias.
- **OH.Math.7.SP.2a** Formulate Questions: Recognize and formulate a statistical question as one that anticipates variability and can be answered with quantitative data.
- **OH.Math.7.SP.2b** Collect Data: Design and use a plan to collect appropriate data to answer a statistical question.
- **OH.Math.7.SP.2c** Analyze Data: Select appropriate graphical methods and numerical measures to analyze data by displaying variability within a group, comparing individual to individual, and comparing individual to group.
- **OH.Math.7.SP.2d** Interpret Results: Draw logical conclusions and make generalizations from the data based on the original question.

- **COMPARING DATA SETS VISUALLY**

- **OH.Math.7.SP.3b** Informally assess the degree of visual overlap of two numerical data distributions with roughly equal variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability.
- **OH.Math.7.SP.3a** Summarize quantitative data sets in relation to their context by using mean absolute deviation (MAD), interpreting mean as a balance point.
- **OH.Math.7.EE.3** Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies.

- **USING STATISTICAL MEASURES TO COMPARE DATA SETS**

- **OH.Math.7.SP.3b** Informally assess the degree of visual overlap of two numerical data distributions with roughly equal variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability.

9. PROBABILITY

- **PROBABILITY**

- **OH.Math.7.SP.5** Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event; a probability around $\frac{1}{2}$ indicates an event that is neither unlikely nor likely; and a probability near 1 indicates a likely event.
- **OH.Math.7.SP.6** Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability.
- **OH.Math.7.SP.1a** Differentiate between a sample and a population.

- **CALCULATING PROBABILITY**

- **OH.Math.7.SP.7a** Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events.
- **OH.Math.7.SP.8a** Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.
- **OH.Math.7.SP.6** Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability.
- **OH.Math.7.SP.7b** Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process.

- **PROBABILITY OF COMPOUND EVENTS**

- **OH.Math.7.SP.5** Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event; a probability around $\frac{1}{2}$ indicates an event that is neither unlikely nor likely; and a probability near 1 indicates a likely event.
- **OH.Math.7.SP.8a** Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.
- **OH.Math.7.SP.8b** Represent sample spaces for compound events using methods such as organized lists, tables, and tree diagrams. For an event described in everyday language, e.g., “rolling double sixes,” identify the outcomes in the sample space which compose the event.

- **SIMULATIONS**

- **OH.Math.7.SP.8a** Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.
- **OH.Math.7.SP.8c** Design and use a simulation to generate frequencies for compound events.
- **OH.Math.7.SP.5** Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event; a probability around $\frac{1}{2}$ indicates an event that is neither unlikely nor likely; and a probability near 1 indicates a likely event.